
SCIOS for scientific information only

Advanced search | Preferences

1-10 of 297 hits for bacillus lich	eniform	is beta lactamase, reporter and fusion protein
		<u>Email</u> , <u>Save</u> or <u>Export</u> checked results Sor
Filter search results by	1.	Nucleic acids and uses thereof for the assay of beta-lactamase Tsien, Roger Y. / Zlokarnik, Gregor (THE REGENTS OF THE U
Content sources		CALI FORNI A), EUROPEAN PATENT, Mar 2000 patno:EP982398
Journal sources (16)		sequence of RTEM enzyme with β-globin upstream leader,
ScienceDirect (14) Pubmed Central (1) BioMed Central (1)		sequence of RTEM β-lactamase with mammalian Kozak sequence of Bacillus licheniformis β-lactamase with signa Full text available at patent office. For more in-depth search
Preferred web (268)		similar results
Patent Offices (261) NDLTD (6) The University of Hong Kong (1) more &	2.	Substrates for .betalactamase and uses thereof Tsien, Roger Y. / Zlokarnik, Gregor (The Regents of the Univ UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATE patno:US5955604SUBSTRATES) .betaLactamases are nearly optimalcatalysis hydrolysisintracellular reporter enzyme. They cleave the .beta
Other web (13)		by .betalactamase. The free aminoaccept peptides or protein Full text available at patent office. For more in-depth search
File types	3.	similar results
* HTML (286) * PDF (22)		SUBSTRATES FOR BETA-LACTAMASE AND USES THEREOF
Pefine your search  polypeptide acid sequence nucleic acid sequence host cell skill in the art n-terminal c-terminal aspergillus peptides polypeptides more ⊳	ed 11	TSIEN, Roger, Y. / ZLOKARNIK, Gregor (The Regents of The EUROPEAN PATENT, Jan 1998 patno:EP817785sequence of RTEM enzyme with β-globin upstream leader, sequence of RTEM β-lactamase with mammalian Kozak sequence of Bacillus licheniformis β-lactamase with signa Full text available at patent office. For more in-depth search similar results
	4.	Substrates for beta-lactamase and uses thereof Tsien, Roger Y. / Zlokarnik, Gregor (The Regents of the Univ UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUL patno:US200301190851971)]. Most -lactamases have been clonedgene encoding molecularaccept peptides or protein substrates [Prattcleavage generates two negativeemployed in the reporter gene assays describedmethylsulphinylmethyl, beta-morpholinoethyl Full text available at patent office. For more in-depth search similar results
	<b>5.</b>	Cytosolic forms of beta-lactamase and uses thereof  Tsien, Roger Y. / Zlokarnik, Gregor (The Regents of the Univ UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATE patno:US62911621971)]. Most -lactamases have been clonedgene encoding molecularaccept peptides or protein substrates [Prattcleavage generates two negativeemployed in the reporter gene assays describedmethylsulphinylmethyl, beta-morpholinoethyl  Full text available at patent office. For more in-depth search similar results
	6.	Protein secretion in Lactococcus lactis: an efficient way to increase protein production Le Loir, Yves / Azevedo, Vasco / Oliveira, Sergio C / Freitas,



Sponsored links

Recombinant Expression
via FET™ platform technology ISO 9001:2000 services
www.FusionAntibodies.com

<u>VMware Fusion 2- Official</u>
Download instantly and begin running Windows on Mac today!
www.vmware.com/go/buyfusion

2010 Ford Fusion

The Official Ford Fusion Site. Learn More About the 34 MPG Fusion.

www.FordVehicles.com/Fusion

Previous 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19

bacillus licheniformis beta lactamase, repo; Search

Downloads | Submit website | Scirus newsletter | Help | Library partners | Contact us

About us | Advisory board | Privacy policy | Terms & Conditions | Newsroom

Powered by FAST © Elsevier 2009